

TITLE: SLEEVE ELEMENT HAVING A BIASABLE END REGION,  
APPARATUS INCLUDING SAME, AND METHOD OF USE

Inventor: Zitting et al.

Serial No.: Not Yet Assigned

Docket No.: 2822-6022US

1/20




FIG. 1A

TITLE: SLEEVE ELEMENT HAVING A BIASABLE END REGION,  
APPARATUS INCLUDING SAME, AND METHOD OF USE

Inventor: Zitting et al.

Serial No.: Not Yet Assigned

Docket No.: 2822-6022US

2/20




FIG. 1B

∴ (

Serial No.: Not Yet Assigned

**Docket No.: 2822-6022US**




FIG. 1C

Inventor: Zitting et al.  
Serial No.: Not Yet Assigned  
Docket No.: 2822-6022US

11




FIG. 10

## 36

Serial No.: Not Yet Assigned

5/20




FIG. 1E




FIG. 1F

TITLE: SLEEVE ELEMENT HAVING A BIASABLE END REGION,  
APPARATUS INCLUDING SAME, AND METHOD OF USE

Inventor: Zitting et al.

Serial No.: Not Yet Assigned

Docket No.: 2822-6022US




FIG. 1G




FIG. 1H

TITLE: SLEEVE ELEMENT HAVING A BIASABLE END REGION,  
APPARATUS INCLUDING SAME, AND METHOD OF USE

Inventor: Zitting et al.

Serial No.: Not Yet Assigned

Docket No.: 2822-6022US




FIG. 1I




FIG. 1J



TITLE: SLEEVE ELEMENT HAVING A BIASABLE END REGION,  
APPARATUS INCLUDING SAME, AND METHOD OF USE

Inventor: Zitting et al.

Serial No.: Not Yet Assigned

Docket No.: 2822-6022US




FIG. 1K




FIG. 1M

TITLE: SLEEVE ELEMENT HAVING A BIASABLE END REGION,  
APPARATUS INCLUDING SAME, AND METHOD OF USE

Inventor: Zitting et al.

Serial No.: Not Yet Assigned

Docket No.: 2822-6022US




FIG. 1L




FIG. 1N

TITLE: SLEEVE ELEMENT HAVING A BIASABLE END REGION,  
APPARATUS INCLUDING SAME, AND METHOD OF USE

Inventor: Zitting et al.

Serial No.: Not Yet Assigned

Docket No.: 2822-6022US




FIG. 1P

Inventor: Zitting et al.  
Serial No.: Not Yet Assigned  
Docket No.: 2822-6022US

110





FIG. 2A



14/20




FIG. 3A




FIG. 3B





FIG. 4A





TITLE: SLEEVE ELEMENT HAVING A BIASABLE END REGION,  
APPARATUS INCLUDING SAME, AND METHOD OF USE

Inventor: Zitting et al.

Serial No.: Not Yet Assigned

Docket No.: 2822-6022US

18/20




FIG. 5A

19/20




FIG. 5B

20/20

510




FIG. 6A

511




FIG. 6B